

Skin Tears



promoting
healthy skin

Champions for Skin Integrity



Moisturise skin twice daily

Pad or **cushion** equipment and furniture (e.g. walkers, wheelchairs)

Drink 6-8 glasses of **fluid** every day


Wear long sleeves and pants, or limb **protectors** to protect the skin

Ensure adequate **lighting** to avoid bumping into furniture



Do not use soap – use an unscented, **soap-free** body wash to avoid drying the skin

Avoid **tapes** and adhesives on the skin





60 Musk Ave
Kelvin Grove Qld 4059
Brisbane, Australia

Email: ihbi@qut.edu.au

Email (Wound Healing): woundservice@qut.edu.au

www.ihbi.qut.edu.au

CRICOS No. 00213J

References:

Ayello E, Sibbald R, *Preventing pressure ulcers and skin tears, in Evidence-based geriatric nursing protocols*, Capezuti et al. Eds. 2008, Springer: New York. 403-29

Ratliff C, Fletcher K, *Skin Tears: A review of the evidence to support prevention and treatment*. Ostomy Wound Management, 2007.53(3)

Best Practice Statement: Care of the Older Person's Skin. Wounds UK, 2012, 2nd ed

This project is funded by the Australian Government Department of Health and Ageing under the Encouraging Better Practice in Aged Care (EBPAC) program